Camphor 5¢
Menthol Crystles 5¢
Cocoa Butter 5¢
Vaselin 5¢
Tallow

* * *
"Phoebe"—The following will correct your children of bedwetting: Get 2 drams of tincture rhus-aromatic; 1 dram tincture cubebs and 1 oz. comp. fluid balmwort. Mix and give the child from ten to fifteen drops in water about one hour before each meal.
* * *

Enlarged Neck.
Two table spoonsful of salt
" " " " Borax
" " " " Alum
" " " " Water and
apply three times a day for three days.

Itch

2 ℥ Sulphur
2 ℥ Carbonate of Potash
4 ℥ Lard

and Ungt-aqua Rosal in equal parts apply to scalp after each shampoo.

"Anodyne" for Infants Colic

25
TABLETS
BACILLUS
BULGARICUS
(See directions on enclosed circular)
027075-A
Prepared in the Biological Laboratories of
PARKE, DAVIS & CO.
Detroit, Mich., U.S.A.

75 gr. of Beta napthol
750 " " hydrarg ammon
2 oz of lanoline
and ungt-aqua Rosal in
equal parts apply to scalp
after each shampoo.

'Anodyne " for Infants Colic

25
TABLETS
BACILLUS
BULGARICUS
(See directions on enclosed circular)
027075-A
Prepared in the Biological Laboratories of
PARKE, DAVIS & CO.
Detroit, Mich., U.S.A.